

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	53	(support adj vector adj machine) and (lagrange adj multiplier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 16:18
L2	1	(support adj vector adj machine) and (lagrange adj multiplier) and strangeness	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 14:56
L3	3	(support adj vector adj machine) and (lagrange adj multiplier) and (confidence adj measure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 15:11
L4	1	(lagrange adj multiplier) and (confidence adj measure) and(iid adj assumption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 15:20
L5	1	(lagrange adj multiplier) and (confidence adj measure) and (iid adj assumption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 15:11
L6	0	(lagrange adj multiplier) and margin and(iid adj assumption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 15:21
L7	11	iid adj assumption	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 16:18

[Sign in](#)

Web Images Groups News Froogle Local more »

randomness level" +"sequence" +"p-value function

Web Results 1 - 5 of about 6 for **+"randomness level" +"sequence" +"p-value function"**. (0.45 seconds)

Tip: Try removing quotes from your search to get more results.

[PDF] [Computationally Efficient Transductive Machines](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

a data **sequence** z , we call $\delta(z) = 2 \cdot d(z)$. the **randomness level** of z
smallest, to within a constant factor, **p-value function**; the latter notion is ...

www.ecs.soton.ac.uk/~cjs/publications/Transduction_ALT00.pdf - [Similar pages](#)

[PDF] [Machine-Learning Applications of Algorithmic Randomness](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

randomness level; this function is a smallest, to within. a constant factor,
p-value function wr to. P . We say that a function ...

www.ecs.soton.ac.uk/~cjs/publications/Random_ICML99.pdf - [Similar pages](#)

[PDF] [Learning from data streams via online transduction](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

randomness level of that **sequence** [3]. In the literature on significance testing,
... for the **p-value function** to be valid. This p-value computa- ...

www.cs.rochester.edu/~taoli/workshop/program/tdm04_ho.pdf - [Similar pages](#)

[PDF] [david-lindsay.co.uk/publications/publicFiles/disse...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Supplemental Result - [Similar pages](#)

[PDF] [Workshop Proceedings Temporal Data Mining: Algorithms, Theory and ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... A time series is a **sequence** of real numbers, each number representing a value
at a time point. For example, the **sequence** could represent ...

www.organix.tv/external/science/ICDM2004-TDM.pdf - Supplemental Result - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 5 already displayed.

If you like, you can repeat the search with the omitted results included.


Try your search again on [Google Book Search](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)

Google ▾ | [Search](#) ▾ | [377 blocked](#) | [Check](#) ▾ | [AutoLink](#) ▾ | [AutoFill](#)

+ "randomness level" +"sequence" +

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Sign in](#)**Web**Results 1 - 10 of about 17 for **+strangeness value" +iid assumption"**. (0.10 seconds)**[PS] Transductive Confidence Machines for Pattern Recognition K ...**File Format: Adobe PostScript - [View as Text](#)mechanism (**iid assumption**); our measures of confidence are applicable to individual
... is the **strangeness value** for the test example (assuming there ...rutcor.rutgers.edu/~amai/aimath02/PAPERS/24.ps - [Similar pages](#)**[PS] Inductive Confidence Machines for Regression Harris Papadopoulos ...**File Format: Adobe PostScript - [View as Text](#)PAC theory, in contrast, only makes the general **iid assumption**. ... of the
predictive interval widths for the method using (1) as **strangeness value** ...
rutcor.rutgers.edu/~amai/aimath02/PAPERS/23.ps - [Similar pages](#)**[PDF] Transduction and typicalness for quality assessment of individual ...**

File Format: PDF/Adobe Acrobat

and identically distributed (**iid assumption**). We can use the typicalness framework
to gain confi ... R, n ∈ N..., then we can associate a **strangeness value** ...doi.ieeecomputersociety.org/10.1109/ICDM.2004.10089 - [Similar pages](#)**[PS] The typicalness framework: a comparison with the Bayesian approach ...**File Format: Adobe PostScript - [View as Text](#)There also exist many successful learning algorithms which only depend on the
iid assumption. ... **strangeness value** ff with each example: ...www.clrc.rhul.ac.uk/publications/files/tr0105.ps - [Similar pages](#)**[PDF] Comparing the Bayes and typicalness frameworks**File Format: PDF/Adobe Acrobat - [View as HTML](#)only depend on the **iid assumption**. Often however they produce no confi- ...
IR, n = 1, 2, ..., then we can associate some **strangeness value** a ...www.ecs.soton.ac.uk/~cjs/publications/TypBayes_ECML01.pdf - [Similar pages](#)**[PDF] The typicalness framework: a comparison with the Bayesian approach**File Format: PDF/Adobe Acrobat - [View as HTML](#)which only depend on the **iid assumption**. Often however they pro- duce no confidence
values for their predictions ... **strangeness value** a with each example: ...www.ecs.soton.ac.uk/~cjs/publications/TypBayes_TECHREP.pdf - [Similar pages](#)**[PDF] Learning from data streams via online transduction**File Format: PDF/Adobe Acrobat - [View as HTML](#)an online setting with **iid assumption**. Transduction methods, in general and TCM
in particu- ... assigned a particular label and its **strangeness value**, a ...www.cs.rochester.edu/u/taoli/workshop/program/tdm04_ho.pdf - [Similar pages](#)**[esp@cenet](#) description view**... the only assumption made is the **iid assumption** (the examples are generated
from the ... determining a **strangeness value** for each Classification set; and ...

v3.espacent.com/textdes?& DB=EPODOC&IDX=EP1129428&QPN=EP1129428 - 48k - Supplemental Result -

Cached - [Similar pages](#)

[esp@cenet document view](#)

... a universal measure of confidence that is valid under the **iid assumption** ...
computed on the basis of the **strangeness value** of the Classification set ...
v3.espacenet.com/textdoc?&DB=EPDOC&IDX=EP1129428 - 34k - Supplemental Result -
[Cached](#) - [Similar pages](#)
[More results from v3.espacenet.com]

[PDF] [david-lindsay.co.uk/publications/publicFiles/disse...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)


Supplemental Result - [Similar pages](#)

Try your search again on [Google Book Search](#)

Google ►

Result Page: 1 2 [Next](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



"strangeness value" +"iid assumption"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google